



Volute by land pump for
pumping clean water.
LAND VOLUTE PUMP

HVS TYPE



Purpose

- For water supply of buildings, Schools, hospitals, entertainment places, every kind of cooling system or recycling system, industrial equipment.


Feature

- This type pumps are light and solid, and no need too much space, easy to be moved
- Solid/ideal fluid design, effective/large volume water supply.

		50Hz 2750 RPM 3PHASE 2P															
TYPE	HP	BORE	10M	15M	20M	25M	30M	35M	40M	45M	50M	55M	60M	65M	70M	75M	
HVS225-1.37	205	1/2	1"X1"	110	40	:::We are one of the world the best pump company:::											
HVS240-1.75	205	1	1 1/2"X1 1/2"	140	90												
HVS240-11.5	205	2	1 1/2"X1 1/2"	280	250	190	170										
HVS250-11.5	205	2	2"X2"	360	280	210											
HVS250-12.2	205	3	2"X2"	360	350	300	240	150									
HVS265-12.2	205	3	2 1/2"X2 1/2"	790	550	330											
HVS250-13.7	205	5	2"X2"	450	400	300	210	150									
HVS265-13.7	205	5	2 1/2"X2 1/2"	660	645	580	500	400									
HVS280-13.7	205	5	3"X3"	1100	910	750	600										
HVS250-15.5	205	7.5	2"X2"	350	305	280	240	230	215	205	190	180					
HVS280-15.5	205	7.5	3"X3"	1000	950	820	750	620	450								
HVS2100-15.5	205	7.5	4"X4"	1160	995	785											
HVS250-17.5	205	10	2"X2"	440	425	380	365	350	335	305	295	280	265	215			
HVS280-17.5	205	10	3"X3"	975	910	850	780	740	670	580	420						
HVS2100-17.5	205	10	4"X4"	1360	1315	1140	975	765									
HVS280-111	205	15	3"X3"	1160	1150	1070	1030	990	920	850	750	670	560	330			
HVS2100-111	205	15	4"X4"	1665	1615	1475	1250	995									
HVS2125-111	205	15	5"X5"	2065	1860	1595											
HVS280-115	205	20	3"X3"	1160	1150	1070	1030	995	940	890	820	760	670	580	350		
HVS2100-115	205	20	4"X4"	1810	1790	1760	1690	1550	1315	995							
HVS2125-115	205	20	5"X5"	2200	2170	2120	1935	1690									
HVS2100-119	205	25	4"X4"	1760	1720	1715	1705	1700	1660	1620	1510	1220	1050				
HVS2125-119	205	25	5"X5"	3200	2600	2100	1350										
HVS2150-119	205	25	6"X6"	4015	3580	3050	2320										
HVS2100-122	205	30	4"X4"	1865	1785	1760	1720	1715	1710	1690	1640	1520	1230	1100			
HVS2125-122	205	30	5"X5"	3560	3000	2400	1550	1300									
HVS2150-122	205	30	6"X6"	4560	4010	3600	3075	2330									
HVS2100-130	205	40	4"X4"	1965	1930	1910	1885	1860	1850	1835	1810	1760	1740	1710	1610	1400	1165
HVS2125-130	205	40	5"X5"	3950	3910	3875	3600	2600	2000	1500							
HVS2150-130	205	40	6"X6"	4950	4910	4840	4630	3695	3165	2440							

50Hz 2750 RPM 1PHASE 2P

HVS225-1.37	265	1/2	1"X1"	110	40	:::We are one of the world the best pump company:::										
HVS240-1.75	265	1	1 1/2"X1 1/2"	140	90											
HVS240-11.5	265	2	1 1/2"X1 1/2"	280	250	190	170									
HVS250-11.5	265	2	2"X2"	360	280	210										
HVS250-12.2	265	3	1 1/2"X1 1/2"	360	350	300	240	150								
HVS265-12.2	265	3	2"X2"	790	550	330										





HVS TYPE

50 Hz 3PHASE 1450 RPM 4P

TYPE	HP	BORE	5M	10M	15M	20M	25M	30M	35M	40M	45M
HVS280-13.7 405	5	3"X3"	900	800	700	500					
:::We are one of the world the best pump company:::											
HVS2100-15.5 405	7.5	4"X4"	1800	1600	1400	1000					
HVS2100-17.5 405	10	4"X4"	2300	2090	1800	1400					
HVS2125-17.5 405	10	5"X5"	2635	2065							
HVS2100-111 405	15	4"X4"	2170	2170	2170	2050	1500				
HVS2125-111 405	15	5"X5"	2450	2300	2150	1750	1150				
HVS2150-111 405	15	6"X6"	3260	3105	2840						
HVS2100-115 405	20	4"X4"	2100	2000	1800	1700	1550	1350			
HVS2125-115 405	20	5"X5"	3300	3100	2900	2500	1700				
HVS2150-115 405	20	6"X6"	4390	4355	3955	3225					
HVS2125-119 405	25	5"X5"	4500	4200	3700	3100	2600	2300	1500		
HVS2150-119 405	25	6"X6"	4455	4455	4355	3990	2870				
HVS2200-119 405	25	8"X8"	5000	4500	4200	3700	2900				
HVS2150-122 405	30	6"X6"	4455	4455	4555	3990	3135				
HVS2200-122 405	30	8"X8"	7510	6610	5570	4390					
HVS2150-130 405	40	6"X6"	5600	5400	5200	4800	3800				
HVS2200-130 405	40	8"X8"	7550	7250	6600	5610	4100				
HVS2150-140 405	50	6"X6"	—	—	—	—	—	—			
HVS2200-140 405	50	8"X8"	8100	7700	7200	6500	5300	3600			


Dimension

TYPE	A	B	C	D	E	F	H	I	J	L
HVS225-1.37 205	66	241	87	144	125	204	193	230	47	326
HVS240-1.75 205	70	265	96	167	125	204	218	230	47	355
HVS240-11.5 205	85	295	106	178	140	237	253	260	62	413
HVS250-11.5 205	85	295	106	178	140	237	253	260	62	413
HVS250-12.2 205	91	306	106	178	140	237	260	260	72	410
HVS265-12.2 205	91	306	106	178	140	237	260	260	72	410
HVS250-13.7 205	91	348	138	218	190	264	292	300	72	480
HVS265-13.7 205	91	348	138	218	190	264	292	300	72	480
HVS280-13.7 205	91	348	138	236	190	264	312	300	72	480
HVS250-15.5 205	91	348	158	236	220	264	312	300	80	520
HVS280-15.5 205	91	348	158	236	220	264	312	300	78	520
HVS2100-15.5 205	111	416	158	277	220	264	316	300	78	548
HVS250-17.5 205	123	416	158	277	216	264	316	300	78	548
HVS280-17.5 205	123	416	158	277	216	264	366	300	78	548
HVS2100-17.5 205	123	437	158	284	216	264	366	300	90	556
HVS280-111 205	129	454	230	124	270	348	401	400	98	680
HVS2100-111 205	129	475	230	137	270	348	401	400	77	705
HVS2125-111 205	138	520	230	140	230	348	428	400	90	714
HVS280-115 205	123	454	230	124	230	348	388	400	98	680
HVS2100-115 205	129	475	230	137	270	348	401	400	77	705
HVS2125-115 205	138	520	230	140	230	348	428	400	90	714
HVS2100-119 205	171	532	230	182	230	460	430	500	98	790
HVS2125-119 205	165	480	210	157	225	250	555	450	95	920
HVS2150-119 205	129	532	230	140	230	460	430	500	98	825
HVS2100-122 205	171	532	250	155	250	460	455	500	92	795
HVS2125-122 205	160	480	241	185	276	350	622	450	100	920
HVS2150-122 205	165	532	250	155	250	460	538	500	137	855
HVS2100-130 205	171	712	270	155	270	460	470	450	92	860
HVS2125-130 205	165	480	262	192	302	350	555	450	110	920
HVS2150-130 205	165	712	270	160	270	460	548	500	137	875



Dimension

TYPE	A	B	C	D	E	F	H	I	J	L
HVS280-13.7 405	140	422	182	112	190	250	362	300	83	509
HVS2100-15.5 405	160	490	202	151	216	250	422	300	100	584
HVS2100-17.5 405	160	484	202	170	216	250	422	300	100	614
HVS2125-17.5 405	160	480	202	136	216	250	422	300	95	655
HVS2100-111 405	160	529	230	166	254	350	450	400	100	707
HVS2125-111 405	160	548	230	166	254	350	450	400	95	727
HVS2150-111 405	172	575	230	176	254	350	470	400	120	753
HVS2125-115 405	160	541	230	187	254	350	470	400	95	757
HVS2150-115 405	172	568	230	198	254	350	470	400	120	793
HVS2125-119 405	235	676	280	173	279	450	520	500	107	854
HVS2150-119 405	206	647	280	185	279	450	560	500	208	865
HVS2200-119 405	220	686	280	192	279	450	560	500	135	897
HVS2150-122 405	235	676	280	174	279	450	560	500	107	854
HVS2200-122 405	220	686	280	192	279	450	560	500	135	897
HVS2200-130 405	220	690	280	207	279	450	560	500	135	897
HVS2150-140 405	165	680	300	205	320	490	555	550	120	965
HVS2200-140 405	253	700	300	180	320	600	622	600	150	1000



HVS TYPE


50 Hz 3PHASE 1450 RPM 4P (TECO MOTOR)

TYPE	HP	BORE	5M	10M	15M	20M	25M	30M	35M	40M	45M
HVS380-13.7 405	5	3"X3"	900	800	700	500					
:::We are one of the world the best pump company:::											
HVS3100-15.5 405	7.5	4"X4"	1800	1600	1400	1000					
HVS3100-17.5 405	10	4"X4"	2300	2090	1800	1400					
HVS3125-17.5 405	10	5"X5"	2635	2065							
HVS3100-111 405	15	4"X4"	2170	2170	2170						
HVS3125-111 405	15	5"X5"	2450	2300	2150	2050	1500				
HVS3150-111 405	15	6"X6"	3260	3105	2840						
HVS3100-115 405	20	4"X4"	2100	2000	1800	1700	1550	1350			
HVS3125-115 405	20	5"X5"	3300	3100	2900	2500	1700				
HVS3150-115 405	20	6"X6"	4390	4355	3955	3225					
HVS3125-119 405	25	5"X5"	4500	4200	3700	3100	2600	2300	1500		
HVS3150-119 405	25	6"X6"	4455	4455	4355	3990	2870				
HVS3200-119 405	25	8"X8"	5000	4500	4200	3700	2900				
HVS3150-122 405	30	6"X6"	4455	4455	4555	3990	3135				
HVS3200-122 405	30	8"X8"	7510	6610	5570	4390					
HVS3150-130 405	40	6"X6"	5600	5400	5200	4800	3800				
HVS3200-130 405	40	8"X8"	7550	7250	6600	5610	4100				
HVS3150-140 405	50	6"X6"	—	—	—	—	—	—			
HVS3200-140 405	50	8"X8"	8100	7700	7200	6500	5300	3600			

Dimension

Unit:mm

TYPE	A	B	C	D	E	F	H	I	J	L
HVS325-1.37 205	66	241	87	144	125	204	193	230	47	326
HVS340-1.75 205	70	265	96	167	125	204	218	230	47	355
HVS340-11.5 205	85	295	106	178	140	237	253	260	62	413
HVS350-11.5 205	85	295	106	178	140	237	253	260	62	413
HVS350-12.2 205	91	306	106	178	140	237	260	260	72	410
HVS365-12.2 205	91	306	106	178	140	237	260	260	72	410
HVS350-13.7 205	91	348	138	218	190	264	292	300	72	480
HVS365-13.7 205	91	348	138	218	190	264	292	300	72	480
HVS380-13.7 205	91	348	138	236	190	264	312	300	72	480
HVS350-15.5 205	91	348	158	236	220	264	312	300	80	520
HVS380-15.5 205	91	348	158	236	220	264	312	300	78	520
HVS3100-15.5 205	111	416	158	277	220	264	316	300	78	548
HVS350-17.5 205	123	416	158	277	216	264	316	300	78	548
HVS380-17.5 205	123	416	158	277	216	264	366	300	78	548
HVS3100-17.5 205	123	437	158	284	216	264	366	300	90	556
HVS380-111 205	129	454	230	124	270	348	401	400	98	680
HVS3100-111 205	129	475	230	137	270	348	401	400	77	705
HVS3125-111 205	138	520	230	140	230	348	428	400	90	714
HVS380-115 205	123	454	230	124	230	348	388	400	98	680
HVS3100-115 205	129	475	230	137	270	348	401	400	77	705
HVS3125-115 205	138	520	230	140	230	348	428	400	90	714
HVS3150-115 405	172	568	230	198	254	350	470	400	120	793
HVS3100-119 205	171	532	230	182	230	460	430	500	98	790
HVS3125-119 205	165	480	210	157	225	250	555	450	95	920
HVS3150-119 205	129	532	230	140	230	460	430	500	98	790
HVS3100-122 205	171	532	250	155	250	460	455	500	92	795
HVS3125-122 205	160	480	241	185	276	350	622	450	100	920
HVS3150-122 205	165	532	250	155	250	460	538	500	137	855
HVS3100-130 205	171	712	270	155	270	460	470	450	92	860
HVS3125-130 205	165	480	262	192	302	350	555	450	110	920
HVS3150-130 205	165	712	270	160	270	460	548	500	137	875



Dimension

Unit:mm

TYPE	A	B	C	D	E	F	H	I	J	L
HVS380-13.7 405	140	422	182	112	190	250	362	300	83	509
HVS3100-15.5 405	160	490	202	151	216	250	422	300	100	584
HVS3100-17.5 405	160	484	202	170	216	250	422	300	100	614
HVS3125-17.5 405	160	480	202	136	216	250	422	300	95	655
HVS3100-111 405	160	529	230	166	254	350	450	400	100	707
HVS3125-111 405	160	548	230	166	254	350	450	400	95	727
HVS3150-111 405	172	579	230	176	254	350	470	400	120	753
HVS3125-115 405	160	541	230	187	254	350	470	400	95	757
HVS3150-115 405	172	568	230	198	254	350	470	400	120	793
HVS3125-119 405	235	676	280	173	279	450	520	500	107	854
HVS3150-119 405	206	647	280	185	279	450	560	500	206	865
HVS3200-119 405	220	686	280	192	279	450	560	500	135	897
HVS3150-122 405	235	676	280	174	279	450	560	500	107	854
HVS3200-122 405	220	686	280	192	279	450	560	500	135	897
HVS3200-130 405	220	690	280	207	279	450	560	500	135	936
HVS3150-140 405	165	680	300	205	320	490	555	550	120	965
HVS3200-140 405	253	700	300	180	320	600	622	650	150	971